

phibo^φ

GROUP

TSA CATALOG

2025



VERSION: 00
CODE: PM-00002



TSA SYSTEM

phibo^φ
GROUP


RECOMMENDATIONS FOR INSERTION SECTORS




- S3

3.7 mm
- S4

4.7 mm
- S5

6.0 mm





TSA REFERENCES



DESCRIPTION		REFERENCE
Avantblast TSA® S3 Self-Tapping Implant	8.5mm	TSA 03.085
	10.0mm	TSA 03.100
	11.5mm	TSA 03.115
	13.0mm	TSA 03.130
	14.5mm	TSA 03.145
	16.0mm	TSA 03.160



DESCRIPTION		REFERENCE
Avantblast TSA® S4 Self-Tapping Implant	6.0mm	TSA 04.060
	7.0mm	TSA 04.070
	8.5mm	TSA 04.085
	10.0mm	TSA 04.100
	11.5mm	TSA 04.115
	13.0mm	TSA 04.130
	14.5mm	TSA 04.145
	16.0mm	TSA 04.160



DESCRIPTION		REFERENCE
Avantblast TSA® S5 Self-Tapping Implant	6.0mm	TSA 05.060
	7.0mm	TSA 05.070
	8.5mm	TSA 05.085
	10.0mm	TSA 05.100
	11.5mm	TSA 05.115
	13.0mm	TSA 05.130

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 Healing Abutment	1,5mm	010.3015
	3mm	010.3030
	5mm	010.3050
	7mm	010.3070

DESCRIPTION		REFERENCE
TSA® S4 Healing Abutment	1,5mm	010.4015
	3mm	010.4030
	5mm	010.4050
	7mm	010.4070

DESCRIPTION		REFERENCE
TSA® S5 Healing Abutment	1,5mm	010.5015
	3mm	010.5030
	5mm	010.5050

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 Abutment Post	0mm	038.3000
	0.5mm	038.3005
	1,5mm	038.3015
	3mm	038.3030
TSA® S4 Abutment Post	0mm	038.4000
	0.5mm	038.4005
	1,5mm	038.4015
	3mm	038.4030
TSA® S5 Abutment Post	0mm	038.5000
	0.5mm	038.5005
	1,5mm	038.5015



DESCRIPTION		REFERENCE
TSA® S3 1.0mm Angled Abutment	15°	022.3115
	25°	022.3125
TSA® S4 1.0mm Angled Abutment	15°	022.4115
	25°	022.4125



DESCRIPTION		REFERENCE
Titanium Base Phibo TSA S3	Hexed	INTTSAS3
	Non-Hexed	INTTSAS3R
Titanium Base Phibo TSA S4	Hexed	INTTSAS4
	Non-Hexed	INTTSAS4R
Titanium Base Phibo TSA S5	Hexed	INTTSAS5
	Non-Hexed	INTTSAS5R



DESCRPTION		REFERENCE
Screw for Phibo Axis® abutment connection TSA	M1,6	TORINPIM16
	M1,8	TORINPIM18C
	M2,2	TORPPIM22L
	M2,4	TORPPIM24

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Plus Abutment	0mm	013.3000
	1.0mm	014.3010
	2.0mm	014.3020
	3.0mm	014.3030
TSA® S4 ProUnic Plus Abutment	0mm	013.4000
	1.0mm	014.4010
	2.0mm	014.4020
	3.0mm	014.4030
TSA® S5 ProUnic Plus Abutment	0mm	013.5000
	1.0mm	014.5010



DESCRIPTION		REFERENCE
ProUnic Advance Abutment TSA® S3	0mm	052.3001
	1.0mm	052.3110
	2.0mm	052.3120
	3.0mm	052.3130
ProUnic Advance Abutment TSA® S4	0mm	052.4001
	1.0mm	052.4110
	2.0mm	052.4120
	3.0mm	052.4130
ProUnic Advance Abutment TSA® S5	0mm	052.5001
	1.0mm	052.5110



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Advance Prosthetic Screw	0mm	055.3000
	1.0mm	055.3010
	2.0mm	055.3020
	3.0mm	055.3030
TSA® S4 ProUnic Advance Prosthetic Screw	0mm	055.4000
	1.0mm	055.4010
	2.0mm	055.4020
	3.0mm	055.4030
TSA® S5 ProUnic Advance Prosthetic Screw	0mm	055.5000
	1.0mm	055.5010

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® ProUnic Plus Prosthetic Screw	S3	019.3000
	S4	019.4000
	S5	019.5000



DESCRIPTION		REFERENCE
TSA® Implant Analog	S3	012.3000
	S4	012.4000
	S5	012.5000



DESCRIPTION		REFERENCE
TSA® ProUnic Plus Analog	S3	061.3000
	S4	061.4000
	S5	061.5000

DESCRIPTION		REFERENCE
Analog for Phibo® TSA	S3	ANSIN100
	S4	ANSIN101
	S5	ANSIN102

DESCRIPTION		REFERENCE
Analog for Phibo® TSA Abutment PROUNIC PLUS	S3	ANSIN007
	S4	ANSIN008
	S5	ANSIN009

DESCRIPTION		REFERENCE
Analog for Phibo® TSA Abutment PROUNIC ADVANCE	S3	ANSIN004
	S4	ANSIN005
	S5	ANSIN006

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 Metallic Impression Coping Platform Direct	Closed Tray	011.3001
	Open Tray	011.3002
TSA® S4 Metallic Impression Coping Platform Direct	Closed Tray	011.4001
	Open Tray	011.4002
TSA® S5 Metallic Impression Coping Platform Direct	Closed Tray	011.5001
	Open Tray	011.5002



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Plus Non-Hexed Metallic Impression Coping	Closed Tray	011.3003
	Open Tray	011.3005
TSA® S4 ProUnic Plus Non-Hexed Metallic Impression Coping	Closed Tray	011.4003
	Open Tray	011.4005
TSA® S5 ProUnic Plus Non-Hexed Metallic Impression Coping	Closed Tray	011.5003
	Open Tray	011.5005



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Plus Hexed Metallic Impression Coping	Open Tray	011.3004
TSA® S4 ProUnic Plus Hexed Metallic Impression Coping	Open Tray	011.4004
TSA® S5 ProUnic Plus Hexed Metallic Impression Coping	Open Tray	011.5004

DESCRIPTION		REFERENCE
Sinergia Library PHIBO TSA	S3	100S
	S4 -S5	101S



DESCRIPTION		REFERENCE
Sinergia Library PHIBO TSA PROUNIC ADVANCE ABUTMENT	S3	004S
	S4	0045
	S5	006S

DESCRIPTION		REFERENCE
Sinergia Library PHIBO TSA PROUNIC PLUS ABUTMENT	S3	007S
	S4	008S
	S5	009S

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Plus Screw-Ret.Casting Cyl.	Non-Hexed	016.3100
	Hexed	016.3200
TSA® S4 ProUnic Plus Screw-Ret.Casting Cyl.	Non-Hexed	016.4100
	Hexed	016.4200
TSA® S5 ProUnic Plus Screw-Ret.Casting Cyl.	Non-Hexed	016.5100
	Hexed	016.5200



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Advance Screw-Ret.Casting Cyl.	Hexed	053.3100
	Non-Hexed	053.3200
TSA® S4 ProUnic Plus Screw-Ret.Casting Cyl.	Hexed	053.4100
	Non-Hexed	053.4200
TSA® S5 ProUnic Plus Screw-Ret.Casting Cyl.	Hexed	053.5100
	Non-Hexed	053.5200



DESCRIPTION		REFERENCE
TSA® ProUnic Plus Waxing Screw	S3	018.3000
	S4	018.4000
	S5	018.5000



DESCRIPTION		REFERENCE
TSA® S3 ProUnic Advance Waxing Screw	0mm	063.3000
	1.0mm	063.3010
	2.0mm	063.3020
	3.0mm	063.3030
TSA® S4 ProUnic Advance Waxing Screw	0mm	063.4000
	1.0mm	063.4010
	2.0mm	063.4020
	3.0mm	063.4030
TSA® S5 ProUnic Advance Waxing Screw	0mm	063.5000
	1.0mm	063.5010

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® S3 Ball Abutment	1,0mm	022.3001
	3,0mm	022.3003
	5,0mm	022.3005
TSA® S4 Ball Abutment	1,0mm	022.4001
	3,0mm	022.4003
	5,0mm	022.4005



DESCRIPTION		REFERENCE
Ball Abutment Metallic Cap	STD	022.0010
Ball Abutment joint (5 units)		022.0005



DESCRIPTION		REFERENCE
CLICK & FIX Abutment for TSA®	S3x 1,0mm	1755 C
	S3 x 2,0mm	1756 C
	S3 x 3,0mm	1757 C
	S3 x 4,0mm	1758 C
	S3 x 5,0mm	1759 C
	S4 x 1,4mm	1761 C
	S4 x 2,0mm	1762 C
	S4 x 3,0mm	1764 C
	S4 x 4,0mm	1765 C
	S4 x 5,0mm	1764 C
	S5 x 2,0mm	1767 C
	S5 x 5,0mm	1765 C




DESCRIPTION		REFERENCE
CLICK & FIX Retention kit	1 unit	8519 C
CLICK & FIX Titanium Hole	10 units	CAZTI
CLICK & FIX Black Retention	10 units	RETNG
CLICK & FIX Blue Retention	10 units	RETAZ
CLICK & FIX Pink Retention	10 units	RETRS
CLICK & FIX Red Retention	10 units	RETRJ
CLICK & FIX Transparent Retention	10 units	RETTR
CLICK & FIX Separator	10 units	SEPSI

TSA REFERENCES




DESCRIPTION		REFERENCE
Precision Drill TSA® TSH®	STD	175.0001



DESCRIPTION		REFERENCE
Pilot Drill TSA® TSH®	ø2.3mm	TS 23000
Surgical Drill TSA® TSH®	ø2.8mm	TS 28000
	ø3.0mm	TS 30000
	ø3.6mm	TS 36000
	ø4.3mm	TS 43000
	ø4.9mm	TS 49000



DESCRIPTION		REFERENCE
Depth Indicator Drill Parallelizer TSA® TSH®	ø2.3mm	177.0000
Depth Indicator Drill Parallelizer TSA®	ø4.3mm	179.0043
	ø4.9mm	179.0049



DESCRIPTION		REFERENCE
Drill stop TSA-TSH	S2 S3 5.0mm	TOP S23 050
	S2 S3 6.0mm	TOP S23 060
	S2 S3 7.0mm	TOP S23 070
	S2 S3 8.5mm	TOP S23 085
	S2 S3 10.0mm	TOP S23 100
	S2 S3 11.5mm	TOP S23 115
	S2 S3 13.0mm	TOP S23 130
	S2 S3 14.5mm	TOP S23 145
	S4 5.0mm	TOP S4 050
	S4 6.0mm	TOP S4 060
	S4 7.0mm	TOP S4 070
	S4 8.5mm	TOP S4 085
	S4 10.0mm	TOP S4 100
	S4 11.5mm	TOP S4 115
	S4 13.0mm	TOP S4 130
	S4 14.5mm	TOP S4 145
	S4 5.0mm	TOP S5 050
	S4 6.0mm	TOP S5 060
	S4 7.0mm	TOP S5 070
	S4 8.5mm	TOP S5 085
	S4 10.0mm	TOP S5 100
	S4 11.5mm	TOP S5 115
	S4 13.0mm	TOP S5 130

TSA REFERENCES



DESCRIPTION		REFERENCE
TSA® TSH® S3 Contra-Angle Bone Tap	Short	181.0136
	Long	181.0336
TSA® TSH® S4 Contra-Angle Bone Tap	Short	181.0142
	Long	181.0342



DESCRIPTION		REFERENCE
TSA® Countersink Drill	S3	178.0037
	S4	178.0047
	S5	178.0060



DESCRIPTION		REFERENCE
Surgicall Drill TSA®	ø4.3mm	178.1243
	ø4.9mm	178.1249



DESCRIPTION		REFERENCE
Contra-Angle Tap	TSA® S3	190.0016
	TSA® S4 S5 & TSH® S2	190.0018

TSA REFERENCES



DESCRIPTION		REFERENCE
Contra-Angle Hex Driver 1.25mm	Short	173.1251
	Medium	173.1252

DESCRIPTION		REFERENCE
Contra-Angle Hex Driver 1.00mm, TSA®	Short	173.1001
	Medium	173.1002



DESCRIPTION		REFERENCE
Manual Hex Driver 1.25mm	Short	174.1251
	Medium	174.1252
	Long	174.1253

DESCRIPTION		REFERENCE
Manual Hex Driver 1.00mm, TSA®	Short	174.1001
	Medium	174.1002



DESCRIPTION		REFERENCE
Hex Tool 1.25 mm, Wrench	Short	172.1251
	Medium	172.1252

DESCRIPTION		REFERENCE
Hex Tool 1.00mm, Wrench TSA®	Short	172.1001
	Medium	172.1002



DESCRIPTION		REFERENCE
Axis® Hexalobular Angled Tool - to Wrench	Short	172.1103
	Medium	172.1104
	Long	172.1105
Contra-Angle Axis® Hexalobular Angled Tool	Medium	173.1106

TSA REFERENCES



DESCRIPTION		REFERENCE
Contra-Angle Adapter	Short	173.0100
	Long	173.0300



DESCRIPTION		REFERENCE
Ratchet Adapter,- to Mounter	Short	172.0100
	Medium	172.0300



DESCRIPTION		REFERENCE
Open end Wrench	STD	172.0001



DESCRIPTION		REFERENCE
Torque Wrench	STD	172.0172



DESCRIPTION		REFERENCE
Circular Scalpel	Ø3.70	152.0001
	Ø4.70	152.0002
	Ø6.00	152.0003



DESCRIPTION		REFERENCE
Surgical Box	TSA® TSH®	SBX 00001



SYSTEM TSA

phibo^φ
GROUP